

# MICROFLEX®

## ▲ SUPRENO® EC



BLUE  
NITRILE  
NON-STERILE  
AMBIDEXTROUS  
TEXTURED FINGERS  
EXTENDED BEADED CUFF  
FOR SINGLE USE ONLY  
NON-LATEX

### POWDER-FREE EXTENDED CUFF EXAMINATION GLOVES

Supreno® EC provides extended-cuff protection of the wrists and arms for high-risk applications. Designed to maintain a comfortable fit while providing reliable hazard protection, these gloves are also adhesive-resistant. Tested for use with chemotherapy drugs.

- Lowest pinhole rates (AQL 0.65) set a new standard for protection
- Textured fingers for enhanced grip
- Meets or exceeds NFPA requirements



### TESTED FOR USE WITH CHEMOTHERAPY DRUGS

PRODUCT CODE		PACKAGING		+ XXXL contains 40 gloves/box
XS	SEC-375-XS	50+	Gloves/Box	
S	SEC-375-S	10	Boxes/Case	
M	SEC-375-M			
L	SEC-375-L			
XL	SEC-375-XL			
XXL	SEC-375-XXL			
XXXL	SEC-375-XXXL			

GLOVE PROFILE		ASTM D 6319	SUPRENO® EC
Length	mm (inches)	min. 220 (8.7)	295 (11.6)
Cuff Thickness	mm (mils)	n/a	0.11 (4.3)
Palm Thickness	mm (mils)	min. 0.05 (2.0)	0.14 (5.5)
Finger Thickness	mm (mils)	min. 0.05 (2.0)	0.20 (7.9)
Tensile Strength	Before Aging	min. 14	30
	After Aging	min. 14	27
Elasticity/Elongation	Before Aging	min. 500	500
	After Aging	min. 400	500
Pinhole Defect Rate*	(AQL)	max. 2.5	0.65

\* Pinhole Defect Rate is FDA minimum requirement.



RECOMMENDED INDUSTRIES